CRANE 2S Camera Compatibility List



Update Time: November 01th, 2022 (the corresponding stabilizer firmware version is 1.87)

		Photo		Video	Live		r Speed stment	Ape Adjus	rture tment	ISO Adj	ustment	EV Adj	ustment	Electronic	Halfway Press Shutter	Electronic Follow		Camera	
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
Sony a9 II	J	√	J	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V2.00	
Sony a9	√	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V6.00]
Sony a7R4	√	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.20]
Sony a7R3	√	√	1	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V3.01	1. Please select "PC Remote" for your camera's "USB Connection".
Sony a7M3	J	√	J	√	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V3.10	(To open a7s3 PC remote
Sony a7S3	√	√	√	1	-	-	-	-	-	-	-	-	-	\checkmark	-	-	Type-C to Multi USB	V1.01	control, go to "Menu" and do the following selection: "Network" -
Sony a7R2	J	J	√	√	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V4.01	"Transfer / Remote" - "PC remote
Sony a7S2	J	√	√	J	-	-	-	-	-	-	-	-	-	\checkmark	-	-	Type-C to Multi USB	V3.01	control" - "Open") 2. If using electronic focusing, set
Sony a6600	√	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.10	the "zoom setting" into "on: Digita
Sony a6500	√	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V1.06	zoom" in the menu and set the photo format into "JPEG".
Sony a6400	√	√	√	1	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	V2.00	prioto format into '01 Ea'.
Sony a6300	J	1	1	1	-	-	-	-	-	-	-	-	- 1	√	-	-	Type-C to Multi USB	V2.01	1
Sony a6100	J	√	1	J	-	-	-	-	-	-	-	-	- 1	√	-	-	Type-C to Multi USB	V1.00	1
Sony a9	1	√	1	1	-	1	J	J	J	1	J	1	√	-	1	J	Type-C to Micro USB	V6.00	
			i i														Type-C to Micro USB		1
Sony a7S3	V	√	√	√	-	√	√	√	√	√	√	√	√	-	√	√	Type-C to Type-C USB	V1.01	1. Please select "PC Remote" for
Sony A7C	1	1	1	1	-	J	√	√	1	√	√	J	1	-	1 1	J	Type-C to Type-C USB	V1.00	your camera's "USB Connection". 2. To trigger electronic focus, please
Sony A1	1	1	1	J	-	1	1	J	1	1	1	1	√	-	J	J	Type-C to Type-C USB Type-C to Micro USB	V1.10	set "Manual Focus (MF)" under "focus mode"
Sony ILME-FX3	J	1	√	J	-	1	1	1	1	1	1	J	1	-	√	J	Type-C to Micro USB	V1.00	1
	J	J	J	J	-	-	-	-	-	-	-	-	-	√	-	-	Type-C to Multi USB	v1.0	1. Please select "PC Remote" for your camera's "USB Connection". 2. For Sony cameras, after connecting the gimbal and camera with the control cable, Please first power on the gimbal and then the camera. Make sure the camera has sufficient power to operate. 3. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera。
Sony α7M4	J	J	-	-	-	√	J	J	J	J	J	J	1	-	J	J	Type-C to Type-C / Type-C to Micro USB	v1.0	 Please select "PC Remote" for your camera's "USB Connection". For Sony cameras, after connecting the gimbal and camera with the control cable, Please first power on the gimbal and then the camera. Make sure the camera has sufficient power to operate. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera. To charge the camera, please use a Type-C to Type-C camera control cable.

1

	ı	Photo	,	Video	Live	Shutte Adjus	r Speed stment	Ape Adjus	ture tment	ISO Adj	justment	EV Adj	ustment	Electronic	Halfway Press Shutter	Electronic Follow		Camera	
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
Sony A1	J	√	J	J	-	-	-	-	-	-	-	-	-	J	-	-	Type-C to Multi USB	V1.10	Please select "PC Remote" for your camera's "USB Connection". If using electronic focusing, set the "zoom setting" into "on: Digital".
Sony ILME-FX3	1	J	J	J	-	-	-	-	-	-	-	-	-	J	-	-	Type-C to Multi USB	V1.00	zoom" in the menu and set the photo format into "JPEG".
Panasonic G9	1	1	√	√	J	1	1	√	J	J	√	1	1	-	1	J	Type-C to Micro USB	V2.1	1. Please select "PC (Tether)" for
Panasonic GH5	1	1	1	1	√	J	J	J	J	J	J	J	1	-	1	J	Type-C to Type-C USB	V2.6	your camera's "USB Connection". 2. When using electronic focusing,
Panasonic GH5S	1	V	J	J	J	J	J	√	J	J	J	V	J	-	J	J	Type-C to Type-C USB	V1.6	the camera lens should be in "MF" mode.
Panasonic GH6	J	1	J	J	-	J	J	J	J	J	J	J	J	-	J	J	Type-C to Type-C USB	V1.2	Before connecting with a control cable, please first turn off the USB
Panasonic S1	1	1	J	J	J	J	J	J	J	J	J	J	J	-	J	J	Type-C to Type-C USB	V1.3	Power Supply in camera settings. 4. When shooting Panorama or Timeleness it is recommended to
Panasonic S5	J	1	J	J	J	J	J	J	1	J	J	1	J	-	J	J	Type-C to Type-C USB	V1.3	Timelapse, it is recommended to turn off auto review and duration time(photo) in the Panasonic
Panasonic S1H	1	1	J	J	J	J	J	J	J	J	J	J	J	-	J	J	Type-C to Type-C USB	V1.0	camera.
Panasonic DC-BGH1	-	-	J	J	-	-	J	-	J	-	J	-	J	-	-	J	Type-C to Type-C USB	V1.0	1.In the camera IN/OUT setting, please choose PC (Tether) for the USB mode.
Canon 1DX3	1	1	J	√	J	J	J	J	J	J	J	√	1	-	1	J	Type-C to Type-C USB	V1.1.0	
Canon 1DX2	√	1	√	√	J	√	√	√	√	J	√	√	√	-	√	√	Type-C to Micro USB	V1.0.2	I. If using electronic focusing, the
Canon 5D3	√	1	√	√	√	√	√	√	√	√	√	1	\ \	-	√	√	Type-C to Mini USB	V1.3.5	lens should be in AF mode while the camera in live view
Canon 5D4	√	1	1	√	J	1	1	1	√	√	1	1	√	-	√	√	Type-C to Micro USB	V1.0.4	If using electronic focus when the camera is recording, please set the
Canon 5DS	1	1	1	1	J	1	1	J	J	J	1	1	√	-	1	J	Type-C to Micro USB	V1.1.1	"Movie setting AF" into "disable".
Canon 5DS R	1	1	1	J	J	1	J	J	J	J	1	1	1	-	√	J	Type-C to Micro USB	V1.1.2R]
Canon 6D2	1	1	J	J	J	J	J	J	J	√	J	J	1	-	1	J	Type-C to Mini USB	V1.0.4	
Canon 80D	1	1	J	J	J	J	J	J	J	J	J	1	1	-	1	J	Type-C to Mini USB	V1.0.2	1. If using electronic focusing, the
Canon 90D	1	1	J	J	J	J	J	J	J	J	J	1	1	-	1	J	Type-C to Micro USB	V1.1.1	lens should be in AF mode while the camera in live view
Canon EOS R5	1	J	1	J	-	J	J	J	J	J	J	J	1	-	1	J	Type-C to Type-C USB	V1.1.1	If using electronic focus when the camera is recording, please set the
Canon EOS R6	1	J	1	√	-	J	J	J	J	J	J	J	√	-	J	J	Type-C to Type-C USB	V1.1.1	"Movie setting AF" into "disable". 3. When connecting with the Canon
Canon EOS R7	1	J	1	J	-	J	J	J	J	J	J	J	1	-	J	J	Type-C USB to Type-C USB	V1.0.1	90D, please first power on the stabilizer and the camera, then
Canon EOS R10	1	J	1	1	-	J	J	J	J	J	J	1	1	-	J	√	Type-C USB to Type-C USB	V1.0.1	plug in the camera control cable. Due to the camera system, if you want to switch to Live Preview,
Canon EOS R	J	1	J	J	-	J	J	J	1	J	J	1	√	-	J	J	Type-C to Type-C USB	V1.6.0	please press the START/STOP button on the camera twice (or the
Canon EOS RP	J	1	J	J	-	J	J	J	J	√	J	1	J	-	×	-	Type-C to Type-C USB	V1.4.0	LV button on the stabilizer twice). To switch to the video/photo
Canon EOS C70	-	-	J	J	-	-	-	-	-	-	-	-	-	-	-	J	Type-C to Type-C USB	V1.0.0.1	mode, please plug out and in the cable.
Canon EOS M6 Mark 2	1	J	J	J	-	J	J	J	J	J	J	J	√	-	J	√	Type-C to Type-C USB	V1.10	

Camera Model	F	Photo	\	Video	Live	Shutter Adjus	r Speed stment	Ape Adjust	ture tment	ISO Adj	ustment	EV Adju	ustment	Electronic	Halfway Press Shutter	Electronic Follow	Comoro Control Coblo Type	Camera Firmware	Note
Carriera Moder	Save	Playback	Save	Playback	Priview	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Photo Mode	Video Mode	Zoom	Button to Autofocus	Follow Focus(Focus Wheel)	Camera Control Cable Type	Version	Note
Canon EOS R5 C	J	J	1	J	-	→	-	J	-	√	-	J	-	-	√	√	Type-C to Type-C USB	V1.0.0.1	1. Please apply electronic follow focus function in AF mode of the lens 2. If using electronic focusing when recording a video, please "Disable" the " Movie Servo AF ". 3. When shooting Panorama or Timelapse, it is recommended to turn off image confirmation in the Canon camera.
Nikon D6	V	J	1	J	1	1	1	1	√	√	1	1	1	-	1	J	Type-C to Micro USB	V1.00	
Nikon D850	1	√	1	√	√	1	1	√	√	√	√	√	1	-	√	J	Type-C to Micro USB	V1.11	
Nikon D780	1	J	1	1	√	1	1	1	√	√	√	J	1	-	V	J	Type-C to Type-C USB	V1.01	1. When using electronic focusing, the camera lens should be in A(AF)
Nikon Z9	J	J	1	J	-	1	1	J	√	√	1	J	1	-	J	J	Type-C to Type-C USB	V1.0	mode and select AF-S or AF-C in
Nikon Z5	J	J	1	J	-	√	√	√	J	√	1	J	1	-	√	J	Type-C to Type-C USB	V1.00	focusing mode. 2. Nikon cameras don't support
Nikon Z6	J	J	J	J	-	1	1	√	J	√	1	J	1	-	1 √	J	Type-C to Type-C USB	V3.00	electronic focusing when recording.
Nikon Z6 II	1	J	1	J	-	1	1	1	1	J	1	J	1	-	1	J	Type-C to Type-C USB	V1.00	3. When shooting Panorama or Timelapse, it is recommended to
Nikon Z7	1	J	J	J	-	1	1	1	1	J	1	J	1	-	1	J	Type-C to Type-C USB	V2.00	turn off image review in the Nikon
Nikon Z7 II	1	J	J	J	-	1	1	J	1	√	√	J	1	-	1	J	Type-C to Type-C USB	V2.00	camera to reduce system latency.
Nikon Z50	J	J	J	J	-	J	J	J	J	J	J	J	J	-	J	J	Type-C to Micro USB	V1.00	1
Nikon Z30	1	1	1	1	-	1	1	1	1	√	1	1	1	-	1	1	Type-C USB to Type-C USB	V1.0.0	
Nikon Zfc	J	J	J	√	-	-	-	J	J	-	-	-	-	-	J	J	Type-C to Type-C USB	V1.00	1. When using electronic focusing, the camera lens should be in A(AF) mode and select AF-S or AF-C in focusing mode. 2. Nikon cameras don't support electronic focusing when recording. 3. When shooting Panorama or Timelapse, it is recommended to turn off image review in the Nikon camera to reduce system latency.
SIGMA fp	√	√	√	√	-	-	-	-	-	-	-	-	-	-	√	-	Type-C to Type-C USB	V2.00	
FUJIFILM X-H1	V	J	√	J	-	-	-	-	-	✓	-	√	1	-	√	-	Type-C to Micro USB	V2.00	1. Please set the "connection mode"
FUJIFILM X-T3	1	J	J	J	-	√	-	-	-	J	√	√	-	-	J	-	Type-C to Type-C USB	V3.21	into "USB TETHER shooting auto"
FUJIFILM X-T4	1	J	√	√	-	√	-	-	-	√	√	J	-	-	J	-	Type-C to Type-C USB	V1.01	for camera connection settings.
FUJIFILM X-T30	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	Type-C to Type-C USB	V1.30	When connecting the camera to the gimbal, please power on the gimbal first and connect the camera control cables before powering on the camera.
FUJIFILM X-H2S	J	J	J	J	-	1	-	-	-	J	1	1	1	-	1	-	Type-C USB to Type-C USB	V1.0.0	

Comove Medel	F	Photo	,	Video	Live		r Speed stment	Ape Adjus	ture tment	ISO Adj	ustment	EV Adjı	ustment	Electronic	Halfway Press Shutter	Electronic Follow	Comerc Control Coble Time	Camera	Nete
Camera Model	Save	Playback	Save	Playback	Priview	Photo Mode		Photo Mode	Video Mode	Photo Mode	Video Mode		Video Mode	Zoom	Button to Autofocus	Focus(Focus Wheel)	Camera Control Cable Type	Firmware Version	Note
OLYMPUS E-M1 II	J	J	J	7	-	J	J	J	1	J	J	J	1	-	√	-	Type-C to Type-C USB	V3.1	1. Please select "PC Remote" for your camera's "USB mode".[ロ٫௴]
BMPCC 4K	-	-	1	√	-	√	√	1	√	√	√	-	-	-	-	1	Type-C to Type-C USB	V7.3	
BMPCC 6K	-	-	1	√	-	√	√	1	√	√	√	-	-	-	-	×	Type-C to Type-C USB	V7.3	
BMPCC 6K PRO	-	-	1	√	-	√	√	1	√	√	√	-	-	-	-	1	Type-C to Type-C USB	V7.3.1	
ZCAM E2 C	-	-	1	√	-	-	-	-	√	-	√	-	-	-	-	-	Type-C to Type-C USB	V0.98.0	
ZCAM E2	-	-	1	1	-	-	-	-	√	-	√	-	-	-	-	-	Type-C to Type-C USB	V0.95	1. Set the camera's "USB Connect" into "serial".
ZCAM E2 F6	-	-	1	√	-	-	-	-	1	-	1	-	-	-	-	-	Type-C to Type-C USB	V0.95	

Note:

- 1. This table will be updated in line with firmware update and is subject to change without prior notice.
- 2. For Sony cameras, after connecting stabilizer and camera with control cable, power on the stabilizer and then the camera. Make sure the camera is fully charged. Optical zoom control is available on the stabilizer when used with motorized lens. Please select zoom option in your camera's settings.
- 3. When shooting panorama or timelapse, it's recommended to turn off auto review in the Sony camera, turn off auto review and duration time(photo) in the Panasonic camera, turn off image review in the Nikon camera to reduce system latency.
- 4. Canon DSLRs cannot realize the halfway press shutter button to autofocus in Live Preview. If the feature is used, the camera Live Preview mode should be turned off.
- 5. When connecting a control cable to a Panasonic G9, turn off the USB Power Supply in the camera settings.
- 6. After connecting Olympus cameras to CRANE 2S, there will be a prompt on camera screen for you to choose USB mode. Please choose [🖳 🐧] (PC control) and turn camera mode dial to P, A, S, or M mode.
- 7. In Photo mode of Fujifilm, camera parameter control from camera is disabled and you can only adjust camera parameter via stabilizer. Press LV button of stabilizer to resume parameter control of your camera and press LV button again to return to stabilizer control; Fujifilm doesn't support saving photos in RAW format.
- 8. The "Real-time Preview" feature is for user to switch between electronic viewfinder and optical viewfinder in DSLR by single-clicking the LV button of the stabilizer.
- 9. For Canon mirrorless cameras, switch the shooting mode to photo mode before taking photos. When shooting a video is needed, switch the shooting mode. Please turn off your camera before switching modes. For EOS R/RP/R5/R6, shutter release can't be used to control video shooting in photo mode otherwise the camera may freeze. (In this case please take out the camera batteries and reinstall and turn on the camera again)
- 10. "\" means the camera can realize the function after connecting to the stabilizer; "x" means the camera currently cannot realize the function after connecting to the stabilizer, but there're possibilities that the function may open by a firmware update or other ways. "-" means the uncontrollable functions after connecting to the stabilizer is because the camera control protocol is not opened.

Comerc Brand	Model	Love Model	Manustina Ctatus	Balance A	djustment	Camera Ba	cking Base	Comis Zoom/Foous Motor	Installation Domoule
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	. ↓	√	-	-		Can be balanced at any focal length
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	. √	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	V	-	-		Can be balanced at any focal length
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	√	V	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
	1D X Mark II	EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Without Backing Base) 5DS, 5DS R,		Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Canon	5D Mark IV,		Camera and Lens	√	1	-	-		Can be balanced at any focal length
	5D Mark III, 6D Mark II,	EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	6D, 90D, 80D		Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		FF 0.4 (/4.4). II. I O.A.	Camera and Lens	√	√	-	-		
		EF 24mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		FF 05 (/4.4). II J 004	Camera and Lens	√	√	-	-		
		EF 35mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		FF 50 (/4 OL LIOM	Camera and Lens	√	√	-	-		
		EF 50mm f/1.2L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		FF F0	Camera and Lens	1	1	-	-		
		EF 50mm f/1.4 USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	√ /	√	-	-		
		EF 50mm f/1.8 STM	Camera, Lens and Servo Motor (For Focus Control)	√	1	J	√	Servo zoom & focus motor installed on either side	
		FF 05 (// 2) " 101	Camera and Lens	J	1	-	-		
		EF 85mm f/1.2L II USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	-	-		
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	J	Servo zoom & focus motor installed on either side	
		EE 05 (11.0.1.2.1	Camera and Lens	1	1	-	-		
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	

0	Madd	Less Medal	Manualitas Olivias	Balance A	djustment	Camera Ba	cking Base	0	Latella Care Barrad
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
	1D X Mark II	Sigma 24-70mm f/2.8 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√ .	J	√ .	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	(Without Backing Base) 5DS, 5DS R,		Camera, Lens and Servo Motor (For Zoom Control)	√	. √	√	. √	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	5D Mark IV,	Sigma 35mm f/1.4 DG HSM Art	Camera and Lens	√	J	-	-		
	5D Mark III, 6D Mark II,	Signia sonini i/ 1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
	6D, 90D, 80D	Ciama Form f/1 4 DC LICM Art	Camera and Lens	√	√	-	-		
		Sigma 50mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	\ \	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	1	1		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1		J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	J	J		Can be balanced at any focal length
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	√ √	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
Canon		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EOS R, EOS R5,		Camera and Lens	1	J	1	1		Can be balanced at any focal length
	EOS R5C, EOS R6, EOS R7,	EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EOS R10, EOSRP,		Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EOS C70		Camera and Lens	1	J	1	J		Can be balanced at any focal length
	(Non-RF lens should use EF-EOS R lens adapter)	EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	,		Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	1	1		Can be balanced at any focal length
		EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	1	J		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 1	√	√	1		
		EF 24mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	J	J		
		EF 35mm f/1.4L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	J ,	J	J	J		
		EF 50mm f/1.2L USM	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	, J	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1 1	J	√	J		
		EF 50mm f/1.4 USM	Camera, Lens and Servo Motor (For Focus Control)	1	J	,	,	Servo zoom & focus motor installed on either side	

Canada Buand	Madel	Lawa Madal	Manustina Chabus	Balance A	Adjustment	Camera Ba	cking Base	Come Zoon/Food Mater	Installation Descent
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
		EF 50mm f/1.8 STM	Camera and Lens	1	√	√	1		
		EF 30HIH I/ 1.0 3HVI	Camera, Lens and Servo Motor (For Focus Control)	√	J	√ /	V	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.2L II USM	Camera and Lens	√	J	√ /	V		
		EF 03HIHH / 1.2L II USW	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	√	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.4L IS USM	Camera and Lens	√	J	√	√		
		EF 65ITIIT I/ 1.4L IS USIVI	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.8 USM	Camera and Lens	√	J	√ /	1		
		EF 63IIIIII / 1.0 USIVI	Camera, Lens and Servo Motor (For Focus Control)	√	J	√ /	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	J	√	1		Can be balanced at any focal length
		Sigma 24-70mm f/2.8 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Sigma 35mm f/1.4 DG HSM Art	Camera and Lens	√	J	-	-		
		Sigina Sommi / 1.4 DG HSIVI Art	Camera, Lens and Servo Motor (For Focus Control)	√	J	√ /	1	Servo zoom & focus motor installed on either side	
		Sigma 50mm f/1.4 DG HSM Art	Camera and Lens	1	J	-	-		
	EOS R, EOS R5,	Sigina somini / 1.4 bg hsivi Art	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	
	EOS R5C, EOS R6, EOS R7,		Camera and Lens	1	J	√	$\sqrt{}$		Can be balanced at any focal length
Canon	EOS R10, EOSRP,	RF15-35mm F2.8 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√ /	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EOS C70 (Non-RF lens should use		Camera, Lens and Servo Motor (For Zoom Control)	√	J	√ /	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	EF-EOS R lens adapter)		Camera and Lens	1	J	√	V		Can be balanced at any focal length
		RF24-70mm F2.8 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
		RF24-105mm F4 L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	√	1		Can be balanced at any focal length
		RF28-70mm F2 L	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ /	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	$\sqrt{}$	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		RF35mm F1.8	Camera and Lens	V	J	-	-		
		NF30111111 F 1.0	Camera, Lens and Servo Motor (For Focus Control)	1	J	-	-	Servo zoom & focus motor installed on either side	
		RF50mm F1.2 L USM	Camera and Lens	1	J	-	-		
		MEDUITIITE I.2 LUSIVI	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	1	Servo zoom & focus motor installed on either side	
		DE05mm Et 0 LICM	Camera and Lens	1	√	-	-		
		RF85mm F1.2 L USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Carriera Brana	Wilder	Ecilo Model	Woulding Otatas	Horizontal	Vertical	Horizontal	Vertical	20170 20011/1 0000 INICIO	installation Fishian
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 14-24mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AF C NII//OD 10 05 1/40 FD	Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 16-35mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AF 0.7 NII(((OD 17.05	Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S Zoom-NIKKOR 17-35mm f/2.8D IF-ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ .	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 18-35mm f/3.5-4.5G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	. √	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8E ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF Zoom-NIKKOR 24-85mm f/2.8- 4D IF	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Nillean	D850、D810、		Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Nikon	D750、 D610、D7500		Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-120mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 28-300mm f/3.5- 5.6G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		A.F. NIII (1/O.D. 4.4	Camera and Lens	√	1	-	-		
		AF NIKKOR 14mm f/2.8D ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
		AE 0 NII//OD 00 (/4 00 ED	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 20mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
		AF 0 A W (4 0 F D	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 24mm f/1.4G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	1	Servo zoom & focus motor installed on either side	
		AF O NIII (A O D C)	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 24mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
		A.S. O. NII (1/O.S	Camera and Lens	1	1	-	-		
		AF-S NIKKOR 35mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	1	 	1	Servo zoom & focus motor installed on either side	
		15 0 1 W 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Camera and Lens	1	1	-	-		
		AF-S NIKKOR 50mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status					Servo Zoom/Focus Motor	Installation Remark
				Horizontal	Vertical	Horizontal	Vertical		
		AE C NIIVVOD 95mm f/1 40	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 85mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	√	V	\checkmark	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 85mm f/1.8G	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 85mm 1/1.8G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
	D850, D810,		Camera and Lens	√	1	-	-		Can be balanced at any focal length
	D750、	Sigma 24 70mm f/2.8L DG	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	D610、D7500		Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		0:	Camera and Lens	√	1	-	-		
		Sigma 35mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
		0	Camera and Lens	√	1	-	-		
		Sigma 50mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		NIKKOR Z 24-70mm f/2.8S	Camera, Lens and Servo Motor (For Focus Control)	1	1	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	J	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		NIKKOR Z 24-70mm f/4S	Camera, Lens and Servo Motor (For Focus Control)	√	1	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		
		NIKKOR Z 35mm f/1.8S	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	1	-	-		
Nikon		NIKKOR Z 50mm f/1.8S	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	1	1		Can be balanced at any focal length
		AF-S NIKKOR 14-24mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	\	1	-	-		Can be balanced at any focal length
	Z5、Z6、	AF-S NIKKOR 16-35mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	Z 6II、Z7、Z9、	ļ , , , , , , , , , , , , , , , , , , ,	Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	Z7 II、Zfc、Z30		Camera and Lens	1	1	-	-		Can be balanced at any focal length
		AF-S Zoom-NIKKOR 17-35mm f/2.8D IF-ED	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		1/2.0D II -LD	Camera, Lens and Servo Motor (For Zoom Control)	\	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√ √	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 18-35mm f/3.5-4.5G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8E ED VR	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		VIII .	Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-70mm f/2.8G ED	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	, ,	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	-	-		Can be balanced at any focal length
		AF Zoom-NIKKOR 24-85mm f/2.8-	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		4D IF	Camera, Lens and Servo Motor (For Zoom Control)	J	,/	,	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	iviodei	Lens Model	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	installation nemark
		AF 0 NII/(/OD 0 4 OF //0 5 4 50	Camera and Lens	√ .	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	Camera, Lens and Servo Motor (For Focus Control)	. √	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		AF-S NIKKOR 24-120mm f/4G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		AF-S NIKKOR 28-300mm f/3.5- 5.6G ED VR	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ √	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AF NIKKOR 14mm f/2.8D ED	Camera and Lens	√	√	-	-		
		AF NIKKON 14IIIII I/2.0D ED	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		AE C NII//OD 20mm f/1 90 ED	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 20mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 24mm f/1.4G ED	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 24IIIII I/ 1.4G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
Nillean	Z5、Z6、	AE C NII//OD 04 1/1 00 ED	Camera and Lens	√	1	-	-		
Nikon	Z7 II、Zfc、Z30	AF-S NIKKOR 24mm f/1.8G ED	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	
		AF-S NIKKOR 35mm f/1.4G	Camera and Lens	√	√	-	-		
		AF-S NIKKOR 35IIIII / 1:4G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	√	Servo zoom & focus motor installed on either side	
	Z 6II、Z7、Z9、 Z7 II、Zfc、Z30	AE C NII/I/OD 50 1/1 40	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 50mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	
		AE 0 NII/(/OD 05 (/4 40	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 85mm f/1.4G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	
		AE C NII/I/OD 05 1/4 00	Camera and Lens	√	1	-	-		
		AF-S NIKKOR 85mm f/1.8G	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
		Sigma 24-70mm f/2.8L DG	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Cigmo OFmm Et 4 DO LIOM 4	Camera and Lens	√	√	-	-		
		Sigma 35mm F1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√ /	√	Servo zoom & focus motor installed on either side	
		0:	Camera and Lens	√	√	-	-		
		Sigma 50mm F1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	

Comerc Brand	Model	Long Madel	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Comio Zoom/Foous Motor	Installation Remark
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	installation Remark
			Camera and Lens	√	√	√	√		Can be balanced at any focal length
		FE 16-35mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	√	√		Can be balanced at any focal length
		FE 16-35mm F4 ZAISS	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	.√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	J	√	√		Can be balanced at any focal length
		FE 12-24mm F4 G	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		FE 24mm F1.4GM	Camera and Lens	√	J	√	√		
		FE 24MM F1.4GM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	J	√	√		Can be balanced at any focal length
		FE 24-70mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	√	√		Can be balanced at any focal length
		FE 24-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		FF 00 F0	Camera and Lens	√	√	√	1		
		FE 28mm F2	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	1	Servo zoom & focus motor installed on either side	
		FF 50 F4 0	Camera and Lens	1	V	1	J		
	A9、A9 II、	FE 50mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	J	Servo zoom & focus motor installed on either side	
	A9M2、A7R4、 A7R3、A7M3、	55.05. 54.4.014	Camera and Lens	1	J	√	1		
Sony	A7M4,	FE 85mm F1.4 GM	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	J	Servo zoom & focus motor installed on either side	
	A7S3、A7R2、	FF 0.5 F1 0	Camera and Lens	1	J	√	J		
	A7M2、A7S2、 A7C、ILME-FX3、A1;	FE 85mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	√	J		
		Distagon T* FE 35mm F1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	√ √	J	 	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	 	J		
		Sonnar T* FE 35mm F2.8 ZA	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	1	J		
		Planar T* FE 50mm F1.4 ZA	Camera, Lens and Servo Motor (For Focus Control)	1	J	√	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	J	1		
		Sonnar® T* FE 55mm F1.8 ZA	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	J	1	J		Can be balanced at any focal length
		E 10-18mm F4 OSS	Camera, Lens and Servo Motor (For Focus Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 1	J	J	J		Can be balanced at any focal length
		E 16-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	J	J		Can be balanced at any focal length
		E PZ 18-105mm F4 G OSS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 ,	J	J	,/	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	J	,/	2 22 22 22 22 22 22 22 22 22 22 22 22 2	Can be balanced at any focal length
		FE 24-105mm f/4 G OSS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	,/	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	./	,,	,/	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	l	<u> </u>	Samora, Estis and Solve Wistor (1 of 20011 Sollitor)	1 V	I V	I V	I V	55.15 25577 & 15585 Priotor installed Off Citrior Side	San So Sala 1000 at any 1000 longth

0	Model	Loss Model	Marrier Out	Balance A	djustment	Camera Ba	cking Base	0	Lastalla Cara Barra da
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	1	J	√	J		Can be balanced at any focal length
		E 18-200mm F3.5-6.3 OSS LE	Camera, Lens and Servo Motor (For Focus Control)	1	J	. √	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Sigma 16mm f/1.4 DC DN	Camera and Lens	√	√	√	√		
		Sigina Tonim 1/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		0' 04 (1.4.70	Camera and Lens	√	√	√	√		
		Sigma 24mm f1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		0: 00 (4 4 50 51)	Camera and Lens	1	√	J	√		
	A9、A9 II、	Sigma 30mm f/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
	A9M2、A7R4、 A7R3、A7M3、	0	Camera and Lens	1	√	J	√		
	A7M4,	Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	√	Servo zoom & focus motor installed on either side	
	A7S3、A7R2、		Camera and Lens	√	J	√	J		
	A7M2、A7S2、 A7C、ILME-FX3、A1;	Sigma 50mm f/1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	
			Camera and Lens	√ √	1 √	 	√		
		Sigma 56mm F1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	1	 	 	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	√ √	1		Can be balanced at any focal length
		Tamron28-75mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	1	1	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	1	J		Can be balanced at any focal length
		sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	1 1	1		<i>√</i>	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Art (with adapter)	Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		1							-
Sony			Camera and Lens	1	 	√	√		Can be balanced at any focal length
		FE 16-35mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 1	1		<i>√</i>	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	1	J		Can be balanced at any focal length
		FE 16-35mm F4 ZAISS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 1	J	J	J		Can be balanced at any focal length
		FE 12-24mm F4 G	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	A6600,		Camera and Lens	J	J	, ,	J		, ,
	A6500,	FE 24mm F1.4GM	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	
	A6400,		Camera and Lens	J	J	J	J		Can be balanced at any focal length
	A6300, A6100,	FE 24-70mm F2.8 GM	Camera, Lens and Servo Motor (For Focus Control)	1 1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	A6000		Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	J	J	J		Can be balanced at any focal length
		FE 24-70mm F4 ZA OSS	Camera, Lens and Servo Motor (For Focus Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 1	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	1	-	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
		FE 28mm F2	Camera, Lens and Servo Motor (For Focus Control)	J	J	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
		FF 50 F4 0	Camera and Lens	1	√	√	√		
		FE 50mm F1.8	Camera, Lens and Servo Motor (For Focus Control)	J	J J			Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model	Lens Model	Wiodriting Status	Horizontal	Vertical	Horizontal	Vertical		installation hemark
		FE 50mm F1.8	Camera and Lens	√	√	J	1		
		12 00111111 1.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	
		FE 85mm F1.4 GM	Camera and Lens	√	√	J	J		
		TE GOTTITT 1.4 GIVI	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	1	Servo zoom & focus motor installed on either side	
		FE 85mm F1.8	Camera and Lens	. √	√	√	√		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	
		Distagon T* FE 35mm F1.4 ZA	Camera and Lens	√	√	. √	√		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	. √	√	Servo zoom & focus motor installed on either side	
		Sonnar T* FE 35mm F2.8 ZA	Camera and Lens	1	J	1	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
		Gorman T L Gorman 2.0 2A	Camera, Lens and Servo Motor (For Focus Control)	1	1	√	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
		Planar T* FE 50mm F1.4 ZA	Camera and Lens	√	√	J	√		
		Tidilai T TE Sommi T.42A	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		Sonnar® T* FE 55mm F1.8 ZA	Camera and Lens	1	J	J	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	1	1	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length
	A6600,	E 10–18mm F4 OSS	Camera and Lens	1	1	1	√ (note)		100g backing base required in vertical shooting; Can be balanced at any focal length
Sony	A6500, A6400, A6300, A6100, A6000		Camera, Lens and Servo Motor (For Focus Control)	1	1	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length, Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	1	1	√ (note)	Servo zoom & focus motor installed on either side	100g backing base required in vertical shooting; Can be balanced at any focal length, Can be balanced at any focal length
		E 16-70mm F4 ZA OSS	Camera and Lens	√	√	√	1		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	1	1		Can be balanced at any focal length
		E 16-55mm F2.8 G	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	1	1		Can be balanced at any focal length
		E PZ 18-105mm F4 G OSS	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√ √	√	√ √	√		Can be balanced at any focal length
		E 18-200mm F3.5-6.3 OSS LE	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Ciamo dosses 1/4 4 DO DNI	Camera and Lens	√	J	√	1		
		Sigma 16mm f/1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	√	J	1	1	Servo zoom & focus motor installed on either side	
		Ciama Odrese H 4 DO	Camera and Lens	√	√		1		
		Sigma 24mm f1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		Sigma 30mm f/1.4 DC DN	Camera and Lens	√	J	√	1		
			Camera, Lens and Servo Motor (For Focus Control)	√	V	√	J	Servo zoom & focus motor installed on either side	

		Lens Model	Mounting Status	Balance A	Adjustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model			Horizontal	Vertical	Horizontal	Vertical		
		0' 05 (/4.4.DQ 10M A	Camera and Lens	√	\ \	√	√		
		Sigma 35mm f/1.4 DG HSM Art	Camera, Lens and Servo Motor (For Focus Control)	√	1	J	J	Servo zoom & focus motor installed on either side	
		0, 50 (0,150	Camera and Lens	√	1	√	J		
		Sigma 50mm f/1.4 DG	Camera, Lens and Servo Motor (For Focus Control)	√ √	1	√	√	Servo zoom & focus motor installed on either side	
	A6600,		Camera and Lens	1	1	 	 		
_	A6500, A6400,	Sigma 56mm F1.4 DC DN	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	
Sony	A6300,		Camera and Lens	1	1	1	√		Can be balanced at any focal length
	A6100, A6000	Tamron28-75mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	J	1	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	A0000		Camera, Lens and Servo Motor (For Zoom Control)	J	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	<u> </u>	<u> </u>	J J	J		Can be balanced at any focal length
		Sigma18-35mm f/1.8 DC HSM	Camera, Lens and Servo Motor (For Focus Control)	<u> </u>	J	J	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Art (with adapter)	Camera, Lens and Servo Motor (For Zoom Control)	, ,	J	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	l.		,	, ,	, ,				, ,
			Camera and Lens	1 ,	1 ,	_	_		Can be balanced at any focal length
		XF 10-24mm f/4.0 R OIS	Camera, Lens and Servo Motor (For Focus Control)	1 ,	1 ,	1	,	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		74 10 2 11 11 11 11 11	Camera, Lens and Servo Motor (For Zoom Control)	1 ,	1 ,	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 ,	1 ,	-	-		Can be balanced at any focal length
		XF 16-55mm f/2.8 R LM WR	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	,	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 1	1 ,/	1	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 ./	1 ./	_ v	_ v		Can be balanced at any focal length
		XF 18-55mm f/2.8-4 R OIS	Camera, Lens and Servo Motor (For Focus Control)	1 ,	1 ,	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J ,/	1 ,/	1	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		XF 16-80mm f1.4 R OIS WR	Camera and Lens	1 1	1 ./	_ v	- v		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	1 ./	1 ./			Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1 ./	1 ./	1	1 1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	X-H1,		Camera and Lens	J ./	1 ./	_ v	_ v		Can be balanced at any focal length
FUJIFILM	X-T4, X-T3,	XF 18-135mm f/3.5-5.6 R LM OIS	Camera, Lens and Servo Motor (For Focus Control)	1 ./	1 ./			Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	X-T2,	WR	Camera, Lens and Servo Motor (For Zoom Control)		1	./	./	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	X-H2S		Camera and Lens	1	1	_ v		Colve 20011 a 10000 filotor installed off citric slide	Carrie Balancea at any local longth
		XF 35mm f/2 R WR	Camera, Lens and Servo Motor (For Focus Control)		1	1	,	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	_ v	_	Serve 20011 & 10003 Thotal installed off citric slide	
		XF 56mm f/1.2 R	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	,	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	V	V	Servo 20011 & rocus motor installed off ettrer side	Can be balanced at any focal length
		XC 15-45mm f/3.5-5.6 OIS	Camera, Lens and Servo Motor (For Focus Control)	1 1	1	1	- ,	Servo zoom & focus motor installed on either side	
		AO 13-45[[[[[]/3.3-3.0 O[5	Camera, Lens and Servo Motor (For Zoom Control)	1 1	1 1	1	I √	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1 1	1 1	√	I √	GETVO ZOOTH & TOCUS THOTOL HISTAIIEU OH EITHER SIDE	Can be balanced at any focal length
		XC 16-50mm f/3.5-5.6 OIS		1 1	1 1	-	- '	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		AU 0.6-6.8/11111106-01 DA	Camera, Lens and Servo Motor (For Focus Control)	1 1	1 1	√ 	√ 		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√ ,	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Super EBC XF 23mm f/1.4 R	Camera and Lens	√ ,	√ ,	-	-	Company Office and the clothest or with the	
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance Adjustment		Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Camera Brand	IVIOGEI	Lens Woder	Woulding Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/r ocus Motor	mstallation Hemaik
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 8-18mm f/2.8-4.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario 12-35mm f/2.8 II	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 12-60mm f/2.8-4	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		OLD MAIL LDV 40 or or 5/4 4	Camera and Lens	√	1	-	-		
		SUMMILUX 12mm f/1.4	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		
		Lumix G 25mm f/1.7	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	
	GH5s、	SUMMILUX 15mm f/1.7	Camera and Lens	√	√	-	-		
	GH5、 G9、		Camera, Lens and Servo Motor (For Focus Control)	√	√	1	J	Servo zoom & focus motor installed on either side	
	DC-BGH1, GH6;	MACRO 30mm f/2.8	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	J	J	Servo zoom & focus motor installed on either side	
Panasonic		M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		M.ZUIKO DIGITAL ED 7-14mm f/2.8 PRO	Camera and Lens	√	1	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		M.Zuiko Digital ED 12-100mm f/4.0 IS PRO	Camera, Lens and Servo Motor (For Focus Control)	1	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	1	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Ait (with adaptor)	Camera, Lens and Servo Motor (For Zoom Control)	1	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
									-
			Camera and Lens	√	1	-	-		Can be balanced at any focal length
	S1H,	LUMIX S 24-105mm F/4 Macro OIS	Camera, Lens and Servo Motor (For Focus Control)	1	√	V	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	S11,		Camera, Lens and Servo Motor (For Zoom Control)	1	√	V	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	S5;	011550 7:050	Camera and Lens	1	1	J	1		<u> </u>
		CN-E50mm T1.3 FP X	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Ba	cking Base	Servo Zoom/Focus Motor	Installation Remark
Camera Brand	Model	Lens Model	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	installation Hemark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 8-18mm f/2.8-4.0	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario 12-35mm f/2.8 II	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Vario-Elmarit 12-60mm f/2.8-4	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		SUMMILUX 12mm f/1.4	Camera and Lens	√	√	-	-		
		SOMMILON 12111111/1.4	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	\checkmark	Servo zoom & focus motor installed on either side	
		25mm f/1.7	Camera and Lens	√	√	-	-		
		2311111/1.7	Camera, Lens and Servo Motor (For Focus Control)	√	√	V	\checkmark	Servo zoom & focus motor installed on either side	
		SUMMILUX 15mm f/1.7	Camera and Lens	√	√	-	-		
	BMPCC 4K	SOMMILOX 1911111 / 1.7	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	
		MACDO 20mm f/0.0	Camera and Lens	√	√	-	-		
		MACRO 30mm f/2.8	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		
		M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	V	\checkmark	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
BMD			Camera and Lens	√	√	-	-		
DIVID		M.ZUIKO DIGITAL ED 7-14mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		M.Zuiko Digital ED 12-100mm f/4.0 IS PRO	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		Sigma18-35mm f/1.8 DC HSM Art (with adapter)	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 8-15mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	BMPCC 6K,		Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
	BMPCC 6K PRO		Camera and Lens	√	1	-	-		
		EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 16-35mm f/2.8L III USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	1	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

Camera Brand Model	Model	Lens Model	Mounting Status	Balance Adjustment Camera Backing Base		cking Base	Servo Zoom/Focus Motor	Installation Remark	
Odificia Bialia	Model	Lens Woder	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	Gervo 20011/1 ocus Motor	installation nemark
			Camera and Lens	√	√	-	-		
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 24-70mm f/2.8L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	1	√	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	J	-	-		
		EF 24-70mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	J	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 24-105mm f/4L IS II USM	Camera, Lens and Servo Motor (For Focus Control)	\ \	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√ √	√	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		EF 24mm f/1.4L II USM	Camera and Lens	1	V	-	-		
DIAD	BMPCC 6K,		Camera, Lens and Servo Motor (For Focus Control)	√ √	√	J	1	Servo zoom & focus motor installed on either side	
BMD	BMPCC 6K PRO	EF 35mm f/1.4L II USM	Camera and Lens	1	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	√	1	1	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.2L USM	Camera and Lens	1	V	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	√	1	1	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.4 USM	Camera and Lens	1	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	1	V	√	1	Servo zoom & focus motor installed on either side	
		FF 50 (/4 0 0TM	Camera and Lens	1	√	-	-		
		EF 50mm f/1.8 STM	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	
		FF 05 (/4 01 III IOM	Camera and Lens	1	√	-	-		
		EF 85mm f/1.2L II USM	Camera, Lens and Servo Motor (For Focus Control)	1	√	J	1	Servo zoom & focus motor installed on either side	
		FF 05 (/4 41 10 110 M	Camera and Lens	1	√	-	-		
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	V	√	1	Servo zoom & focus motor installed on either side	
		FF 05 (4 0 HOM	Camera and Lens	1	V	-	-		
		EF 85mm f/1.8 USM	Camera, Lens and Servo Motor (For Focus Control)	1	V	V	1	Servo zoom & focus motor installed on either side	
		Sigma 18-35 T2 (EF)	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
Ciana a	f-	4F FO O	Camera and Lens	√	√	-	√		
Sigma	fp	45mm F2.8	Camera, Lens and Servo Motor (For Focus Control)	1	√	√	1	Servo zoom & focus motor installed on either side	

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Camera Brand	iviodei		Woulding Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	ilistaliation nemark
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Panasonic Lumix G Vario 7-14mm f/4 ASPH	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Panasonic Leica DG Vario-Elmarit 8-18mm f/2.8-4 ASPH.	Camera, Lens and Servo Motor (For Focus Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Panasonic Lumix GX Vario 12- 35mm f/4 ASPH	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Papacania Lumiy 14mm f/2.5 G	Camera and Lens	√	J	-	-		
		Panasonic Lumix 14mm f/2.5 G	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	J	-	-		Can be balanced at any focal length
		Lumix G X Vario 14-42mm f/3.5-5.6 Power O.I.S	Camera, Lens and Servo Motor (For Focus Control)	√	J	J	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	J	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		December 1 and OMain 44	Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Panasonic Lumix G Vario 14- 140mm f/3.5-5.6 ASPH.POWER	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		O.I.S	Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Panasonic Leica DG Summilux 15mm f/1.7 ASPH.	Camera and Lens	√	√	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
ZCAM	E2, E2C	Panasonic Lumix G 25mm f/1.7 ASPH	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		Panasonic Lumix G 42.5mm f/1.7 ASPH	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		Panasonic Leica DG Macro-Elmarit 45mm f/1.7 ASPH.	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
		Ciarra 10mm FO 0 DM Art	Camera and Lens	√	√	-	-		
		Sigma 19mm F2.8 DM Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	√	Servo zoom & focus motor installed on either side	
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 7-14mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 8mm	Camera and Lens	√	√	-	-		
		f/1.8 Fisheye PRO	Camera, Lens and Servo Motor (For Focus Control)	1	J	J	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 12mm	Camera and Lens	1	√	-	-		
		f/2	Camera, Lens and Servo Motor (For Focus Control)	√	J	J	1	Servo zoom & focus motor installed on either side	
			Camera and Lens	1	1	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 12- 40mm f/2.8 PRO	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		10.111111/2.01110	Camera, Lens and Servo Motor (For Zoom Control)	√	1	1	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	1	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 12- 100mm f/2.8 IS PRO	Camera, Lens and Servo Motor (For Focus Control)	J	J	√	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		TOUTHIN // Z.O IO FINO	Camera, Lens and Servo Motor (For Zoom Control)	 	J	J	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

Camera Brand	Model	Lens Model	Mounting Status	Balance A	djustment	Camera Backing Base		Servo Zoom/Focus Motor	Installation Remark
Camera Brand	iviodei	Lens Woder	Wounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Pocus Motor	installation nemark
			Camera and Lens	J	√	-	-		Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 14- 42mm f/3.5-5.6 EZ	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	√	√	V	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		Olympus M.Zuiko Digital ED 17mm	Camera and Lens	J	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	J	√	√	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 25mm f/1.2 PRO	Camera and Lens	J	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	\checkmark	Servo zoom & focus motor installed on either side	
	E2, E2©	Olympus M.Zuiko Digital ED 30mm	Camera and Lens	√	√	-	-		
		f/3.5 Macro	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 45mm	Camera and Lens	√	√	-	-		
		f/1.2 PRO	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 60mm f/2.8 Macro	Camera and Lens	J	1	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	J	1	1	√	Servo zoom & focus motor installed on either side	
		Olympus M.Zuiko Digital ED 75mm f/1.8 Lens	Camera and Lens	J	1	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	J	1	1	√	Servo zoom & focus motor installed on either side	
ZCAM		•							
		EF 8-15mm f/4L USM	Camera and Lens	√	1	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
		EF 11-24mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
	E2 F6	EF 16-35mm f/4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	1	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera and Lens	J	1	-	-		Can be balanced at any focal length
		EF 17-40mm f/4L USM	Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	J	√	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		EF 24-70mm f/4L IS USM	Camera and Lens	√	1	-	-		Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Focus Control)	√	1	1	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	J	1	1	√	Servo zoom & focus motor installed on either side	Can be balanced at any focal length

O Burnel	Model	Lens Model	Manualitae Oladae	Balance A	djustment	Camera Ba	cking Base	0	Leadelle Person
Camera Brand	Model	Lens woder	Mounting Status	Horizontal	Vertical	Horizontal	Vertical	Servo Zoom/Focus Motor	Installation Remark
			Camera and Lens	√	√	-	-		Can be balanced at any focal length
		EF 24-105mm f/3.5-5.6 IS STM	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
			Camera, Lens and Servo Motor (For Zoom Control)	√	√	√	1	Servo zoom & focus motor installed on either side	Can be balanced at any focal length
		EF 24mm f/1.4L II USM	Camera and Lens	√	J	-	-		
		EF 24MM 1/1.4L II USW	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		EF 35mm f/1.4L II USM	Camera and Lens	√	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.2L USM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		EF 50mm f/1.4 USM	Camera and Lens	√	√	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	
ZCAM	E2 F6	EF 50mm f/1.8 STM	Camera and Lens	√	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.2L II USM	Camera and Lens	√	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		FF 05mm f/1 41 IC LIOM	Camera and Lens	√	J	-	-		
		EF 85mm f/1.4L IS USM	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		EF 85mm f/1.8 USM	Camera and Lens	√	√	-	-		
		EF 0011111111111111111111111111111111111	Camera, Lens and Servo Motor (For Focus Control)	√	J	√	1	Servo zoom & focus motor installed on either side	
		Sigma 35mm f/1.4 DG HSM Art	Camera and Lens	√	J	-	-		
			Camera, Lens and Servo Motor (For Focus Control)	√	√	√	√	Servo zoom & focus motor installed on either side	
		Sigma 50mm f/1.4 DG HSM Art	Camera and Lens	√	√	-	-		
		Signia Sunin I/ 1.4 Da noivi Art	Camera, Lens and Servo Motor (For Focus Control)	√	√	√	1	Servo zoom & focus motor installed on either side	