

ZHIYUN FIVERAY M40 USB Adapter Compatibility List



Updated on April 18th, 2023

V1.00

Brand	Model	Power	Port	Adapter Output Voltage/Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Apple	A2244	20W	USB-C	5V/3A, 9V/2.22A(20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	A2167	12W	USB-A	5.2V/2.4A	√	-	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	A2676	35W	USB-C1	5V/3A, 9V/3A, 15V/2.33A, 20V/1.75A(35W Max)	-	-		Not supported
			USB-C2	5V/3A, 9V/3A, 15V/2.33A, 20V/1.75A(35W Max)	-	-		Not supported
Huawei	HW-200450CP0	90W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/5A, 20V/4.5A(90W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	P0009	66W	USB-C	5V/3A, 9V/3A, 11V/6A, 20V/2A(66W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	P0003	66W	USB-A1	5V/3A, 10V/4A, 11V/6A (66W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (66W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A2	5V/4A, 10V/2.25A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	P0005	65W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A, 10V/4A (60W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/4A, 9V/2A, 10V/4A(40W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	P0011	25W	USB-C	5V/3A, 9V/2.78A, 10V/2.5A, 11V/2.25A(25W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	HW-110600C02	66W	USB-A	5V/2A, 10V/4A, 11V/6A (66W Max)	-	-		Not supported
	P0013	40W	USB-A	5V/3A, 10V/4A, 20V/2A (40W Max)	-	-		Not supported
USB-C			5V/3A, 9V/3A, 10V/4A, 15V/2.66A, 20V/2A (40W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Huawei	HW-100400C03	40W	USB-A	5V/2A, 9V/2A, 10V/4A (40W Max)	-	-		Not supported
	HW-200325CP1	65W	USB-C	5V/2A, 9V/2A, 12V/2A, 15V/3A, 20V/3.25A (65W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
	HW-200200CP1	66W	USB-C	5V/2A, 9V/2A, 12V/3A, 15V/2.66A, 20V/2A, 20V/3.25A (66W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
	HW-100225C00	22.5W	USB-A	5.2V/2.4A, 9V/2A, 10V/2.25A (22.5W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
OPPO	VCB3HDCH	33W	USB-A	5V/2A, 5-11V/3A (33W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	VC56JBCH	30W	USB-A	5V/2A, 5V/6A (30W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	VCB8HBCH	80W	USB-C	5V/2A, 11V/7.3A (78W Max) PD:5V/3A, 9V/3A, 12V/3A, 15V/3A (45W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
	VCA7JACH	65W	USB-A	5V/2A, 10V/6.5A (65W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	VC54JBCH	20W	USB-A	5V/4A (20W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	OP92CACH	18W	USB-A	5V/2A, 9V/2A (18W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
VIVO	V8060L0A2-CN	80W	USB-C1	5V/2A, 9V/2A, 11V/6A, 20V/4A (80W Max) PD0:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max) PPS:5-20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/2A, 9V/2A, 11V/6A, 20V/4A (80W Max) PD0:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max) PPS:5-20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	V6650L0A0-CN	66W	USB-A	5V/2A, 9V/2A, 11V/3A, 11V/5A, 20V/3.3A (66W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	VC54JBCH	44W	USB-A	5V/2A, 9V/2A, 11V/4A (44W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	V4440L0A1-CN	44W	USB-A	5V/2A, 9V/2A, 11V/4A (44W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	V3330L0B0-CN	33W	USB-A	5V/2A, 9V/2A, 11V/3A (33W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	V2323B-CN	22.5W	USB-A	5V/2A, 9V/2A, 10V/2.25A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	V1820L0B0-CN	18W	USB-A	5V/2A, 9V/2A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Nubia	PA0205	120w	USB-C1	3.3-20V/5A 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	3.3-20V/5A 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4A, 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	PA0223B	100w	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 3.3-20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 3.3-20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C3	5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4A, 9V/3A, 12V/2.5A, 20V/1.5A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	NB-A2040C	80w	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4A (80W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	PA0202	65w	USB-C1	3.3-11V/5A 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	3.3-11V/5A 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4.5A, 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (30W Max)	-	-		Not supported
	NB-A1160A-C	66w	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (66W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	NB-A1150A-USBA-C	55w	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A (45W Max) PPS: 3-11V/5A(55W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
PA0213	30w	USB-C	5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		
PA0207	22.5w	USB-C	5V/3A, 9V/2.22A, 10V/2.25A, 12V/1.66A(22.5W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		
PA0222	20w	USB-C	5V/3A, 9V/2.22A(20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Pisen	TS-C148	120w	USB-C1	5V/9V/12V/15V/3A、20/3A (60W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/9V/12V/15V/3A、20/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	5V/3A、5V/4.5A、4.5V/5A、9V/2A、 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/2A (10W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	TS-C147	100w	USB-C1	5V/9V/12V/15V/3A、20/3A (60W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/9V/12V/15V/3A、20/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	5V/3A、5V/4.5A、4.5V/5A、9V/2A、 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/2A (10W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	TS-137	65W	USB-C1/C2	3.3V-20V/3A、5V/3A、9V/3A、 12V/3A、15V/3A、20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A、5V/4.5A、9V/3A、12V/3A (36W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	A854-200225C-CN1	45W	USB-C1	3.3V-21V/2.25A、5V/3A、9V/3A、 12V/3A、15V/3A、20V/2.25A、 3.3-16V/3A (45W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	3.3V-21V/2.25A、5V/3A、9V/3A、 12V/3A、15V/3A、20V/2.25A、 3.3-16V/3A (45W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	XY-C16	40W	USB-C1	5V/3A、9V/3A、12V/3A、15V/2.67A、 20V/2A (40W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A、9V/3A、12V/3A、15V/2.67A、 20V/2A (40W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
TS-C159	35W	USB-C1	5V/3A、9V/3A、15V/2.33A、 20V/1.753A (35W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		
		USB-C2	5V/3A、9V/3A、15V/2.33A、 20V/1.753A (35W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Pisen	FYD-KLN-01	30W	USB-C	5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	FYD-FH01	22.5W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/4.5A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	K24-09	22.5W	USB-A	5V/4.5A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	TS-C135	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.5A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
xiaomi	MDY-13-ET	120W	USB-C	5V/3A, 9V/3A, 11V/6A, 20V/6A (120W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	MDY-14-EU	67W	USB-C	5V/3A, 9V/2A, 11V/6.1A Max, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/2A, 11V/6.1A Max, 20V/3.25A (65W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	MDY-12-EF	67W	USB-A	5V/3A, 5-20V/6.2-3.25A (67W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	MDY-13-ES	67W	USB-C	5V/3A, 9V/3A, 11V/6.1A, 12V/2.25A, 15V/3A, 20V/3.25A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	AD652G	65W	USB-C	5V/3A, 9V/3A, 11V/5A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/2.4A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
MDY-12-EQ	55W	USB-A	5V/3A, 9V/3A, 11V/5A, 20V/2.5A (55W Max)	-	-		Not supported	

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
xiaomi	AD33G	33W	USB-C	5V/3A, 9V/3A, 12V/2.25A, 11V/3A (33W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	AD201	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	MDY-08-EH	18W	USB-A	5V/2.5A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
Baseus	CCGAN140CC	140W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/3A, 20V/3A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCGAN100UC	100w	USB-C1	5V/9V/12V/15V/3A , 20/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/9V/12V/15V/3A , 20/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	4.5V/5A, 5V/4.5A, 5V/9V/12V/20V/3A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	4.5V/5A, 5V/4.5A, 5V/9V/12V/20V/3A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCGAN100C5	100W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/3A, 20V/3A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCGAN67UC3	67W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/3A, 20V/2.25A (30W Max)	-	-		Not supported
	CCGAN67CC3	67W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
USB-C			5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Baseus	CCGAN65C2	65W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/3A, 20V/3A, 4.5V/5A, 5V/4.5A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCGAN65C5	65W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/3A, 20V/3A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCCP30UC	30W	USB-C	5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A(30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	5V/3A, 9V/2A, 12V/1.5A(18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/3A, 9V/2A, 12V/1.5A(18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CCCJG30CC	30W	USB-C	5V/3A, 9V/3A, 12V/1.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	BS-QC3CN001	24W	USB-C	5V/3A, 9V/2.66A, 12V/2A (24W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	CCCP20UC	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
CCXFK20C	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.		

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
Baseus	CCCP17UC	17W	USB-A1	5V/2.4A	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/2.4A	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/2.4A	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
BULL	GNV-AU1B04	100W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C3	5V/3A, 9V/2.22A, 12V/1.5A (18W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	GNV-MC1672	67W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20.3V/3.3A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20.3V/3.3A (67W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C3	5V/3A, 9V/3A, 12V/2.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/2A, 10V/2.25A (22.5W Max)	-	-		Not supported
	GNV-AF1652	65W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/2.4A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
BULL	GNV-AF1452	45W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/2.4A	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	GNV-AU1332	33W	USB-C	5V/3A, 9V/3A, 11V/3A, 12V/2.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	5V/3A, 9V/3A, 12V/2.5A (30W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	GNV-ATN182	18W	USB-A1	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	GNV-AU140C	40W	USB-C	5V/3A, 9V/3A, 12V/2A, 11V/3A, 10V/4A (40W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	GNV-AF130	30W	USB-C	5V/3A, 9V/3A, 12V/2.5A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	GNV-AF120	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
UGREEN	CD289	140W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CD327	65W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CD147	12W	USB-A1/2/3/4	5V/2.4A	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CD226	100W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 3.3-21V/3A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 3.3-21V/3A (100W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C3	5V/3A, 9V/2.5A, 12V/1.88A, 3.3-5.9V/3A, 3.3-11V/2A (22.5W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	

Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
UGREEN	CD216	66W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.3A (66W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.3A (66W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	CD268	65W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A1	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
			USB-A2	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CD244	65W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A (65W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-A	4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)	√	√	Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.	
	CD294	45W	USB-C1	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 3.3-11V/4.05A (45W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
			USB-C2	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A, 3.3-11V/4.05A (45W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	CD282	40W	USB-C	5V/3A, 9V/3A, 12V/2A, 10V/4A, 11V/3A (40W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	CD319	30W	USB-C	5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A, 3.3-11V/2.7A (30W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	
	CD137	20W	USB-C	5V/3A, 9V/2.22A, 12V/1.67A, 3.3-5.9V/3A, 3.3-11V/1.8A (20W Max)	√	√	Use USB-C port or other charging cables with USB-C port that support PD protocol.	



Brand	Model	Power	Port	Adapter Output Voltage/ Current	Charging	Power Supply	Charging/Power Supply Cable Type	Notes
UGREEN	CD122	18W	USB-A	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	CD112	5W	USB-A	5V/1A (5W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
ZM	HA835	65W	USB-C	5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
			USB-A1	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
			USB-A2	5V/3A, 9V/2A, 12V/1.5A (18W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.
	HA726	35W	USB-C1	5V/3A, 9V/3A, 11V/3A, 12V/2.9A, 15V/2.33A, 20V/1.75A (35W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
			USB-C2	5V/3A, 9V/3A, 11V/3A, 12V/2.9A, 15V/2.33A, 20V/1.75A (35W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
	HA728	33W	USB-C	5V/3A, 9V/3A, 10V/2.25A, 11V/3A, 12V/2.5A, 15V/2A, 20V/1.65A (33W Max)	√	√		Use USB-C port or other charging cables with USB-C port that support PD protocol.
			USB-A	5V/3A, 9V/3A, 10V/2.25A, 12V/2.25A (27W Max)	√	√		Use the charging cable provided by ZHIYUN or other charging cables with USB-A port that support fast charging.

Notes:

1. When the output power of the adapter is higher than the current operation power of M40, the rest of the power in the adapter can charge the device battery. (Maximum charging power supported is 15W.)
2. Due to limited test conditions, USB adapters that are not listed could also supply power. Please refer to actual use.
3. Using a low-power cable with a high-power adapter may cause the adapter to fail to provide full power output. It is recommended to use a charging cable that matches the power of the USB adapter.
4. When charging via multiple-port adapter, the charging/supply power may be different. The data above applies to single-port adapters. For detailed power distribution, please check the distribution instruction of the adapter.
5. For certain brands, the proprietary charging protocol for the adapter is not open to public, therefore proprietary fast charging is not supported yet.
6. For the USB-A adapter that supports fast charging, the maximum output supported is 15W.
7. "√" indicates the function can be realized when the adapter is connected to the light. "-" indicates the function cannot be realized.